# EXAMPLE

## Page 3: Rating maternal outcomes for all research

### Section 3: Which maternal outcomes should be reported in all studies?

On a scale of 1 (not important) to 9 (critically important), please **rate how important** it is **to include these maternal outcomes in all research studies of pregnant women with 2 or more long-term conditions.** 

All the outcomes are important, but we need your help to identify the small number of outcomes that are **so important** they should be reported in all research studies of pregnant women with 2 or more long-term conditions.

There is an **'Unable to comment'** option if you are not familiar with the outcome.

Please click on 'More Info' for plain English explanation of the outcomes.

#### Survival outcome

Outcomes	Not	impor	tant	Imp	ortant	but	Critic	cally	Unable to	
				not	critical		impo	ortant		comment
	1	2	3	4	5	6	7	8	9	
Maternal death										

#### Clinical outcomes: antenatal (during pregnancy)

Outcomes	Not i	mport	ant		ortant critical		Critic	cally ortant		Unable to comment
					1	r			0	comment
	1	2	3	4	5	6	1	8	9	
Chorioamnionitis										
Gestational diabetes										
Gestational hypertension										
Hyperemesis gravidarum										
Impact on long-term health										
conditions										
Miscarriage										
Nausea & vomiting										
Obstetric cholestasis										
Placental abruption										
Placenta insufficiency										
Pre-eclampsia, eclampsia,										
HELLP syndrome										
Venous thromboembolism										

## Clinical outcomes: peripartum (around the time of birth)

Outcomes	Not important				ortant critical		Critic impo	cally ortant		Unable to comment
	1	2	3	4	5	6	7	8	9	
Birth experience										
Birth injury (e.g. 3 <sup>rd</sup> /4 <sup>th</sup> degree										
tear, obstetric fistula)										
Birth without intervention										
Blood transfusion										
Hysterectomy										
Labour augmentation										
Length of labour										
Maternal infection (e.g. needing										
prolonged admission)										
Mobility during labour										
Postpartum haemorrhage										
Preterm premature rupture of										
membranes										
Retained placenta										

## Postpartum and longer-term outcomes (beyond birth)

Outcomes	Not i	import	ant		ortant		Critic		Unable to	
				not critical			impo	ortant	comment	
	1	2	3	4	5	6	7	8	9	
Development of new long-term conditions										
Perinatal mental health (see more info)										
Post traumatic stress disorder										
Recovery time										

# Outcomes related to life impact and functioning

Outcomes	Not	impor	tant		ortant critica		Critic impo	cally ortant	Unable to comment	
	1	2	3	4	5	6	7	8	9	
Adherence with medication in										
pregnancy										
Health related quality of life										
Incontinence										
Maternal guilt & pressure										

## Outcomes related to the use of health services

Outcomes	Not	Not important			ortant critical		Critic impo	cally ortant		Unable to comment
	1	2	3	4	5	6	7	8	9	
Admission to intensive care										
Health care cost										
Hospital length of stay										

# EXAMPLE

# Page 4: Rating children outcomes for all research

### Section 3: Which children outcomes should be reported in all studies?

On a scale of 1 (not important) to 9 (critically important), please **rate how important** it is **to include these children outcomes in all research studies of pregnant women with 2 or more long-term conditions.** 

All the outcomes are important, but we need your help to identify the small number of outcomes that are **so important** they should be reported in all research studies of pregnant women with 2 or more long-term conditions.

There is an 'Unable to comment' option if you are not familiar with the outcome.

Please click on 'More Info' for plain English explanation of the outcomes.

#### Survival outcomes

Outcomes	Not important					ortant critical		Critic	cally ortant		Unable to comment
	1	2		3	4	5	6	7	8	9	
Death before birth (e.g. intrauterine fetal death, stillbirth, perinatal death)											
Death after birth (e.g. neonatal death, infant death)											

#### Clinical outcomes: fetal and neonatal outcomes

Outcomes	Not	impor	tant		ortant		Critically			Unable to
					not critical			ortant		comment
	1	2	3	4	5	6	7	8	9	
Apgar score (is the newborn										
poorly)										
Birth weight										
Blood transfusion										
Brain injury on imaging										
Congenital anomaly (birth										
defect)										
Feeding difficulties										
Fetal growth restriction										

#### Clinical outcomes: longer term outcomes for children

Outcomes	Not	impor	tant		ortant critical		Critic impo	cally ortant	Unable to comment	
	1	2	3	4	5	6	7	8	9	
Cerebral palsy										
Children's mental health & behavioural disorder										